

DIÁRIO OFICIAL DA UNIÃO

Publicado em: 04/09/2026 | Edição: 168 | Seção: 1 | Página: 78

Órgão: Ministério da Agricultura e Pecuária/Secretaria de Defesa Agropecuária

PORTARIA SDA/MAPA Nº 1.679, DE 31 DE AGOSTO DE 2026 (*)

Atualiza a lista de Pragas Quarentenárias Ausentes (PQA) para o Brasil.

O SECRETÁRIO DE DEFESA AGROPECUÁRIA, DO MINISTÉRIO DA AGRICULTURA E PECUÁRIA, no uso das atribuições que lhe conferem os arts. 23 e 48, do Anexo I ao Decreto nº 12.642, de 1º de outubro de 2025, tendo em vista o disposto no Decreto nº 24.114, de 12 de abril de 1934, no Decreto nº 1.355, de 30 de dezembro de 1994, no Decreto nº 5.759, de 17 de abril de 2006, na Instrução Normativa nº 45, de 29 de agosto de 2018 e o que consta no Processo nº 21000.030910/2018-24, resolve:

Art. 1º Fica atualizada a lista de Pragas Quarentenárias Ausentes (PQA) para o Brasil na forma do Anexo desta Instrução Normativa.

Art. 2º Fica revogada a Portaria SDA/MAPA nº 1.291, de 22 de maio de 2025.

Art. 3º Esta portaria entra em vigor na data de sua publicação.

CARLOS GOULART

ANEXO

I - ACARINA

Aceria oleae

Amphitetranychus viennensis (Tetranychus viennensis)

Brevipalpus chilensis

Brevipalpus lewisi

Bryobia rubrioculus

Calacarus citrifolii

Cenopalpus pulcher

Cheiracus sulcatus

Eotetranychus carpini

Eotetranychus lewisi

Eotetranychus sexmaculatus

Epitrimerus pyri

Eutetranychus africanus

Eutetranychus orientalis

Halotydeus destructor

Oligonychus afrasiaticus

Oligonychus bicolor

Oligonychus litchii

Steneotarsonemus spinki

Tenuipalpus punicae

Tetranychus kanzawai



Tetranychus mcdanieli

Tetranychus merganser

Tetranychus pacificus

Tetranychus truncatus

Tetranychus turkestanii

II - BLATTODEA

Cryptotermes cynocephalus

Cryptotermes domesticus

Microtermes spp.

III - COLEOPTERA

Acalymma vittatum

Aegorhinus phaleratus

Aegorhinus superciliosus

Agrilus sinuatus

Agriotes lineatus

Agriotes mancus

Alaus oculatus

Alphitobius laevigatus

Amphicerus bimaculatus

Anoplophora spp.

Anthonomus spp. (Exceto A. grandis e A. tomentosus)

Apriona cinerea

Apriona rugicollis

Apriona germarii

Aromia bungii

Batocera davidis

Batocera horsfieldi

Batocera lineolata

Batocera rubus

Batocera rufomaculata

Brachycerus spp.

Brontispa longissima

Bruchidius spp.

Bruchus spp.

Byturus tomentosus

Callidiellum rufipenne (Callidiellum rufipennis)

Callosobruchus chinensis

Carpophilus freemani

Caryedon serratus

Chaetocnema basalis

Chrysobothris mali



- Compsus viridivittatus
- Conoderus vespertinus
- Conotrachelus aguacatae
- Conotrachelus perseae
- Conotrachelus nenuphar
- Cryptolestes turcicus
- Cryptorhynchus lapathi
- Cylindrocopturus adpersus
- Dendroctonus spp.
- Dexicrates robustus
- Diabrotica balteata
- Diabrotica barberi
- Diabrotica undecimpunctata howardi
- Diabrotica virgifera virgifera
- Diocalandra frumenti
- Diocalandra taitense
- Epicaerus cognatus
- Epitrix cucumeris
- Epitrix subcrinita
- Holotrichia serrata
- Heilipus lauri
- Hylesinus taranio (Hylesinus oleiperda)
- Hylobius abietis
- Hylobius pales
- Hylotrupes bajulus
- Hypocryphalus scabricollis
- Ips spp.
- Latheticus oryzae
- Lema pectoralis
- Leptinotarsa decemlineata
- Limonius californicus
- Lissorhoptrus oryzophilus
- Lyctus africanus
- Macroductylus subspinosus
- Melanotus communis
- Melolontha melolontha
- Metamasius callizona
- Monochamus spp.
- Monolepta australis
- Nathrius brevipennis
- Neoplocaederus ferrugineus (Plocaederus ferrugineus)



- Odoiporus longicollis
- Ootheca bennigseni
- Ootheca mutabilis
- Orchidophilus aterrimus
- Orchidophilus peregrinator
- Orchidophilus ran
- Oryctes rhinoceros
- Otiorhynchus armadillo
- Otiorhynchus cribricollis
- Otiorhynchus ligustici
- Otiorhynchus ovatus
- Otiorhynchus pseudonothus
- Otiorhynchus rugosostriatus
- Otiorhynchus singularis
- Otiorhynchus sulcatus
- Pagiocerus frontalis
- Palorus ratzeburgi
- Paropsisterna bimaculata
- Paropsisterna m-fuscum
- Phlyctinus callosus
- Phonapate frontalis
- Popillia japonica
- Premnotrypes spp.
- Prostephanus truncatus
- Psacothaea hilaris
- Psylliodes punctifrons
- Ptinus fur
- Rhabdoscelus obscurus
- Rhigopsidius piercei
- Rhigopsidius tucumanus
- Rhizotrogus majalis
- Rhynchophorus ferrugineus
- Saperda spp.
- Sinoxylon spp. (Exceto S. unidentatum)
- Sitophilus granarius
- Smicronyx fulvus
- Smicronyx sordidus
- Sphenophorus venatus
- Tanymecus dilaticollis
- Treptoplatypus solidus
- Tetropium fuscum



- Thorictodes heydeni
- Tomicus piniperda
- Trachymela sloanei
- Trachymela tincticollis
- Trogoderma spp.
- Tropinota hirta
- Tropinota squalida
- Vesperus luridus
- Vesperus xatarti
- Xyleborus dispar
- Xylopertha retusa
- Xylotrechus rufilius (Xylotrechus magnicollis)
- Xylotrechus smeii
- Zygogramma exclamatoris
- IV - DIPTERA
- Acanthiophilus helianthi
- Anastrepha curvicauda (Toxotrypana curvicauda)
- Anastrepha ludens
- Anastrepha suspensa
- Atherigona soccata
- Bactrocera spp. (Exceto B. carambolae)
- Ceratitis spp. (Exceto C. capitata)
- Contarinia jongsomuti
- Contarinia prunivora
- Contarinia tritici
- Dacus spp.
- Delia spp. (Exceto D. sanctijacobi)
- Eumerus amoenus
- Eumerus strigatus
- Horidiplosis ficifolii
- Liriomyza bryoniae
- Liriomyza ptarmicae
- Mayetiola destructor
- Neosilba batesi
- Ophiomyia phaseoli
- Orseolia oryzae
- Orseolia oryzivora
- Phytomyza gymnostoma
- Phytomyza horticola (Chromatomyia horticola)
- Prodiptosis longifila
- Rabdophaga saliciperda (Helicomyia saliciperda)



Rhagoletis spp. (Exceto R. adusta, R. blanchardi, R. ferruginea, R. macquarti)

Sitodiplosis mosellana

Tipula paludosa

V - HEMIPTERA

Adelphocoris lineolatus

Aleurocanthus spp. (Exceto A. woglumi)

Aleurodicus dugesii

Aleurodicus floccissimus (Lecanoideus floccissimus)

Amrasca biguttula (Amrasca biguttula biguttula)

Anoplocnemis curvipes

Aonidiella citrina

Aphis punicae

Aphis ruborum

Apolygus lucorum

Aulacaspis yasumatsui

Bactericera cockerelli

Blissus insularis

Brachycaudus cardui

Cacopsylla pyri

Ceroplastes ceriferus

Ceroplastes destructor

Ceroplastes japonicus

Ceroplastes pseudoceriferus

Ceroplastes rubens

Ceroplastes rusci

Cicadulina mbila

Clavigralla shadabi

Clavigralla tomentosicollis

Coccus capparidis

Coccus formicarii

Crisicoccus matsumotoi

Dialeurodes citri

Diaspidiotus ostreaeformis

Diaspidiotus pyri

Diuraphis noxia

Drepanococcus chiton

Drosicha corpulenta

Dysaphis pyri

Dysdercus supersticiosus

Eucalyptolyma maideni

Eulecanium tiliae



- Eurygaster integriceps
- Exallomochlus hispidus
- Fiorinia phantasma
- Halyomorpha halys
- Helopeltis anacardii
- Helopeltis antonii
- Helopeltis bradyi
- Helopeltis schoutedeni
- Homalodisca vitripennis (Homalodisca coagulata)
- Homoeocerus pallens
- Icerya aegyptiaca
- Icerya seychellarum
- Lepidosaphes conchiformis
- Leptocoris rufomarginatus (Leptocoris rufomarginata)
- Leptocoris tagalicus (Leptocoris tagalica)
- Lopholeucaspis japonica
- Lygus pratensis
- Lygus rugulipennis
- Macrohomotoma gladiata
- Megacopta cribraria
- Mercetaspis halli
- Metcalfa pruinosa
- Neoaliturus haematocephs
- Neoaliturus tenellus
- Neomyzus circumflexus
- Nipaecoccus viridis
- Nysius nubilus
- Nysius vinitor
- Orosius orientalis
- Oxycarenus laetus
- Paracoccus marginatus
- Parlatoria camelliae
- Parthenolecanium corni
- Perkinsiella saccharicida
- Phenacoccus aceris
- Philaenus spumarius
- Piezodorus lituratus
- Planococcoides njalensis
- Planococcus kraunhiae
- Planococcus lilacinus
- Pochazia shantungensis



- Pollinia pollini
- Prosapia bicincta
- Pseudaulacaspis cockerelli
- Pseudococcus calceolariae
- Pseudotheraptus devastans
- Pseudotheraptus wayi
- Pulvinaria floccifera
- Pulvinaria hydrangeae
- Rastrococcus invadens
- Rhizoecus dianthi
- Rhizoecus hibisci (Ripersiella hibisci)
- Riptortus dentipes
- Scaphoideus titanus
- Stephanitis rhododendri
- Stephanitis takeyai
- Targionia vitis
- Unaspis yanonensis
- VI - HYMENOPTERA
- Ametastegia glabrata
- Athalia rosae
- Cephus cinctus
- Cephus pygmeus (Cephus pygmaeus)
- Josephiella microcarpae
- Hoplocampa brevis
- Megastigmus spp. (Exceto M. transvaalensis e M. brasiliensis)
- Nematus desantisi
- Neodiprion spp.
- Ophelimus eucalypti
- Ophelimus maskelli
- Selitrichodes globulus
- Systole albipennis
- Tremex spp.
- VII - LEPIDOPTERA
- Acrolepiopsis assectella
- Acrobasis pirivorella (Acrobasis pyrivorella)
- Adoxophyes orana
- Agrius convolvuli
- Agrotis segetum
- Aloa lactinea (Amsacta lactinea)
- Amyelois transitella
- Anarsia lineatella



- Apomyelois ceratoniae (Ectomyelois ceratoniae)
- Archips spp.
- Argyrogramma signata
- Argyrotaenia ljungiana (Argyrotaenia pulchellana)
- Batrachedra amydraula
- Cacoecimorpha pronubana
- Cacyreus marshalli
- Cadra calidella (Ephestia calidella)
- Cadra figulilella
- Carposina niponensis
- Carposina sasakii
- Cephonodes hylas
- Chilecomadia moorei
- Chilecomadia valdiviana
- Chilo partellus
- Chilo suppressalis
- Choristoneura spp.
- Chrysodeixis chalcites
- Chrysodeixis eriosoma
- Clepsia spectrana
- Conogethes punctiferalis
- Conopomorpha cramerella
- Copitarsia decolora (Copitarsia heydenreichii, Copitarsia turbata)
- Copitarsia incommoda (Copitarsia consueta)
- Copitarsia uncilata
- Cossus cossus
- Cryptophlebia ombrodelta
- Cydia spp. (Exceto C. araucariae)
- Dalaca chiliensis
- Dalaca pallens
- Dendrolimus spectabilis
- Dendrolimus superans
- Diaphania indica
- Dioryctria zimmermani
- Dyspessa ulula
- Earias biplaga
- Eldana saccharina
- Epichoristodes acerbella
- Epiphyas postvittana
- Erionota thrax
- Eudocima fullonia (Othreis fullonia)



- Eupoecilia ambiguella
- Euzophera bigella
- Euzophera pyriella
- Gortyna xanthenes
- Grapholita delineana
- Grapholita dimorpha
- Grapholita funebrana
- Hedya nubiferana (Hedya dimidioalba)
- Helicoverpa punctigera
- Hippotion celerio
- Hyphantria cunea
- Ichneumenoptera chrysophanes
- Keiferia lycopersicella
- Lampides boeticus
- Leucinodes orbonalis
- Leucoptera malifoliella
- Leucoptera meyricki
- Lobesia botrana
- Loxostege sticticalis
- Lymantria dispar
- Lymantria monacha
- Malacosoma spp.
- Mamestra brassicae
- Mussidia nigrivenella
- Mythimna loreyi
- Mythimna separata
- Nacoleia octasema
- Orgyia antiqua
- Orgyia postica
- Ostrinia furnacalis
- Ostrinia nubilalis
- Oxyplax pallivitta (Darna pallivitta)
- Pandemis heparana
- Paranthrene tabaniformis
- Parasa lepida
- Pectinophora scutigera
- Pediasia trisecta
- Peribatodes rhomboidaria
- Pieris rapae
- Platynota stultana
- Prays citri



- Proeulia auraria
- Proeulia chrysopteris
- Rhyacionia spp.
- Scirpophaga incertulas
- Sesamia inferens
- Sparganothis pilleriana
- Spilonota albicana
- Spilonota ocellana
- Spodoptera exempta
- Spodoptera exigua
- Spodoptera littoralis
- Spodoptera litura
- Spodoptera ochrea
- Spodoptera praefica
- Stathmopoda auriferella
- Symmetrischema capsicum
- Symmetrischema tangolias
- Thaumatotibia leucotreta (Cryptophlebia leucotreta)
- Thaumetopoea pityocampa
- Thysanoplusia orichalcea
- Vitacea polistiformis
- Xestia c-nigrum
- Zeuzera pyrina
- VIII - ORTHOPTERA
- Atractomorpha psittacina
- Gryllotalpa gryllotalpa
- Schistocerca gregaria
- IX - PSOCODEA
- Liposcelis decolor
- Liposcelis paeta
- X - THYSANOPTERA
- Anaphothrips obscurus
- Dichromothrips corbetti
- Dichromothrips smithi
- Drepanothrips reuteri
- Frankliniella bispinosa
- Frankliniella intonsa
- Frankliniella panamensis
- Haplothrips aculeatus
- Limothrips cerealium
- Limothrips denticornis



Megalurothrips usitatus

Pezothrips kellyanus

Scirtothrips aurantii

Scirtothrips inermis

Scirtothrips mangiferae

Thrips angusticeps

Thrips atratus

Thrips flavus

Thrips fuscipennis

Thrips hawaiiensis

Thrips nigropilosus

Thrips setosus

XI- MOLLUSCA

Colosius confusus

Laevicaulis alte

Theba pisana

XII - FUNGI

Alternaria gaisen

Alternaria linicola

Alternaria triticina

Alternaria vitis

Apiosporina morbosa

Armillaria luteobubalina

Armillaria ostoyae

Arthuriomyces peckianus

Ascochyta rabiei (Didymella rabiei, Mycosphaerella rabiei)

Ascochyta sorghi

Balansia oryzae-sativae (Ephelis oryzae)

Boeremia foveata (Phoma exigua var. foveata)

Botryosphaeria kuwatsukai (Botryosphaeria berengeriana f.sp. pyricola)

Botrytis elliptica

Botrytis tulipae

Calonectria colhounii

Ceratobasidium cereale (Rhizoctonia cerealis)

Cercospora insulana

Chondrostereum purpureum

Chrysomyxa rhododendri

Cladosporium variabile

Claviceps fusiformis

Colletotrichum destructivum

Colletotrichum godetiae



- Colletotrichum higginsianum
- Colletotrichum kahawae
- Colletotrichum linicola
- Coniella diplodiella
- Coniothyrium glycines (Pyrenochaeta glycines; Dactuliochaeta glycines)
- Cronartium spp.
- Curvularia australiensis (Bipolaris australiensis)
- Curvularia penniseti
- Curvularia pseudobrachyspora
- Curvularia verruculosa
- Cytospora nivea (Valsa nivea)
- Dactylonectria macrodidyma
- Dactylonectria torresensis
- Desarmillaria tabescens (Armillaria tabescens)
- Diaporthe eres (Phomopsis velata)
- Diaporthe gulyae
- Diaporthe vaccinii (Phomopsis vaccinii)
- Didymella maydis (Didymella zeae-maydis, Mycosphaerella zeae-maydis)
- Discostroma corticola
- Discula pyri (Phacidiopycnis pyri)
- Drepanopeziza brunnea (Marssonina brunnea)
- Drepanopeziza castagnei (Drepanopeziza populi-albae, Marssonina castagnei)
- Drepanopeziza populi (Drepanopeziza populorum, Marssonina populi)
- Endoraecium digitatum (Atelocauda digitata)
- Epichloe coenophiala (Neotyphodium coenophialum)
- Erysiphe buhrii
- Exserohilum pedicellatum
- Fusarium circinatum (Gibberella circinata)
- Fusarium crookwellense
- Fusarium langsethiae
- Fusarium oxysporum f.sp. asparagi
- Fusarium oxysporum f.sp. cannabis
- Fusarium oxysporum f.sp. carthami
- Fusarium oxysporum f.sp. cubense raça 4 tropical (R4T) (Grupo de Compatibilidade vegetativa: 01213/16)
- Fusarium oxysporum f.sp. dianthi
- Fusarium oxysporum f.sp. fragariae
- Fusarium oxysporum f.sp. lagenariae
- Fusarium oxysporum f.sp. lili
- Fusarium oxysporum f.sp. radicis-vanillae
- Fusarium oxysporum f.sp. spinaciae



- Fusarium oxysporum f.sp. vanillae
- Fusarium redolens
- Fusarium xylarioides (Gibberella xylarioides)
- Fusicoccum putrefaciens
- Ganoderma boninense
- Gibellulopsis nigrescens (Verticillium nigrescens)
- Gloeotinia granigena
- Gloeotinia temulenta
- Gymnosporangium spp.
- Haplobasidion musae
- Helicobasidium longisporum
- Helicobasidium mompa
- Helicoceras spp.
- Hemileia coffeicola
- Heterobasidion annosum
- Hymenula cerealis (Cephalosporium gramineum)
- Kabatiella lini (Polyspora lini, Guignardia fulvida)
- Lecanosticta acicola (Mycosphaerella dearnessii)
- Leptographium procerum
- Magnaporthiopsis maydis
- Moesziomyces bullatus
- Monilinia fructigena
- Monilinia polystroma
- Monilinia vaccinii-corymbosi
- Moniliophthora roreri
- Monosporascus eutypoides
- Mycocentrospora acerina
- Mycosphaerella gibsonii
- Nectria cinnabarina
- Nectriella pironii
- Neofabraea vagabunda (Neofabraea alba)
- Neonectria obtusispora (Cylindrocarpon obtusisporum)
- Paramarasmius palmivorus (Marasmius palmivorus)
- Periconia circinata
- Phialophora cinerescens
- Phyllosticta solitaria
- Phymatotrichopsis omnivora
- Plenodomus biglobosus
- Plenodomus libanotidis (Leptosphaeria libanotis)
- Plenodomus tracheiphilus (Phoma tracheiphila)
- Podosphaera balsaminae



- Podospaera fusca (Sphaerotheca fusca)
- Polyscytalum pustulans (Oospora pustulans)
- Protomyces macrosporus
- Pseudopezicula tracheiphila (Pseudopeziza tracheiphila)
- Puccinia carthami
- Puccinia erianthi
- Puccinia pittieriana
- Pyrenophora graminea
- Ramularia collo-cygni
- Septoria cannabis
- Septoria citri
- Septoria malagutii
- Stagonospora sacchari
- Stagonosporopsis andigena (Phoma andigena)
- Stromatinia gladioli
- Synchytrium endobioticum
- Taphrina populina
- Thecaphora solani (Angiosorus solani)
- Tilletia indica
- Tilletia laevis
- Trematosphaeria pertusa
- Uwemyces elaeidis
- Urocystis agropyri
- Venturia populina
- Venturia oleaginea (Spilocaea oleaginea)
- XIII - CHROMISTA
- Hyaloperonospora camelinae
- Peronosclerospora sacchari
- Peronospora chlorae
- Peronospora farinosa
- Peronospora lamii
- Phytophthora cambivora
- Phytophthora erythroseptica (Phytophthora erythroseptica var. erythroseptica)
- Phytophthora fragariae
- Phytophthora lateralis
- Phytophthora megakarya
- Phytophthora megasperma
- Phytophthora ramorum
- Phytophthora sansomeana
- Phytophthora syringae
- Plasmopara obducens



- Pseudoperonospora cannabina
- Pustula centaurii
- Pustula helianthicola
- Pustula tragopogonis (Albugo tragopogonis)
- Sclerophthora rayssiae
- Sclerospora graminicola
- XIV - NEMATODA
- Anguina agrostis
- Anguina pacificae
- Anguina tritici
- Aphelenchoides blastophthorus
- Belonolaimus longicaudatus
- Bursaphelenchus mucronatus
- Bursaphelenchus xylophilus
- Ditylenchus africanus
- Ditylenchus angustus
- Ditylenchus destructor
- Ditylenchus dipsaci (todas as raças, exceto as do alho)
- Globodera pallida
- Globodera rostochiensis
- Heterodera avenae
- Heterodera cajani
- Heterodera ciceri
- Heterodera goettingiana
- Heterodera mediterranea
- Heterodera oryzae
- Heterodera oryzicola
- Heterodera sacchari
- Heterodera schachtii
- Heterodera trifolii
- Heterodera zeae
- Longidorus attenuatus
- Longidorus elongatus
- Meloidogyne chitwoodi
- Meloidogyne fallax
- Nacobbus aberrans
- Paratylenchus hamatus
- Pratylenchus fallax
- Pratylenchus goodeyi
- Pratylenchus neglectus
- Pratylenchus pratensis



- Pratylenchus scribneri
- Pratylenchus thornei
- Punctodera chalcoensis
- Punctodera punctata (Heterodera punctata)
- Rotylenchulus macrodoratus
- Rotylenchulus parvus
- Subanguina radicicola
- Trichodorus viruliferus
- Tylenchorhynchus claytoni
- Xiphinema diversicaudatum
- Xiphinema italiae
- Xiphinema rivesi
- Xiphinema vuittenezi
- Zygotylenchus guevarai
- XV - BACTERIA
- Brenneria salicis (Erwinia salicis)
- Burkholderia glumae
- Candidatus Liberibacter africanus
- Candidatus Liberibacter solanacearum
- Candidatus Phytoplasma asteris [16Srl-A]
- Candidatus Phytoplasma asteris [16Srl-C]
- Candidatus Phytoplasma asteris [16Srl-G]
- Candidatus Phytoplasma asteris [16Srl-M]
- Candidatus Phytoplasma australasiaticum
- Candidatus Phytoplasma australiense
- Candidatus Phytoplasma citri
- Candidatus Phytoplasma cocostanzania (Palm lethal yellowing phytoplasma)
- Candidatus Phytoplasma fraxini [16SrVII-A]
- Candidatus Phytoplasma mali (Apple proliferation phytoplasma)
- Candidatus Phytoplasma palmae (Palm lethal yellowing phytoplasma)
- Candidatus Phytoplasma palmicola (Palm lethal yellowing phytoplasma)
- Candidatus Phytoplasma pruni (Peach X-disease phytoplasma)
- Candidatus Phytoplasma pyri (Pear decline phytoplasma)
- Candidatus Phytoplasma solani [16SrXII-A] (Grapevine bois noir phytoplasma)
- Clavibacter insidiosus (Clavibacter michiganensis subsp. insidiosus)
- Clavibacter nebraskensis (Clavibacter michiganensis subsp. nebraskensis)
- Clavibacter sepedonicus (Clavibacter michiganensis subsp. sepedonicus)
- Dickeya fangzhongdai
- Erwinia amylovora
- Erwinia mallotivora
- Erwinia papayae



- Erwinia pyrifoliae
- Erwinia rhapontici (Pectobacterium rhapontici)
- Grapevine flavescence dorée phytoplasma
- Grapevine yellows phytoplasma
- Pantoea stewartii subsp. stewartii (Erwinia stewartii; Pantoea stewartii)
- Peach rosette phytoplasma
- Peach yellows phytoplasma
- Pectobacterium wasabiae
- Pseudomonas cannabina pv. alisalensis
- Pseudomonas syringae pv. aptata
- Pseudomonas syringae pv. atrofaciens
- Pseudomonas syringae pv. atropurpurea
- Pseudomonas syringae pv. tagetis
- Rhodococcus fascians
- Spiroplasma citri
- Xanthomonas cassavae (Xanthomonas campestris pv. cassavae)
- Xanthomonas fuscans subsp. aurantifolii grupo B (Xanthomonas axonopodis pv. aurantifolii raça

B)

- Xanthomonas hydrangeae
- Xanthomonas oryzae pv. oryzae
- Xanthomonas oryzae pv. oryzicola
- Xanthomonas populi
- Xanthomonas translucens pv. graminis
- Xanthomonas vasicola pv. musacearum
- Xylella fastidiosa subsp. fastidiosa
- Xylophilus ampelinus

XVI -VÍRUS E VIROIDES

- Alphanucleorhabdovirus melongenae (Eggplant mottled dwarf virus - EMDV)
- Anulavirus PZSV (Pelargonium zonate spot virus - PZSV)
- Apple chat fruit viroid (ACFVd)
- Babuvirus musae (Banana bunchy top virus - BBTV)
- Begomovirus coheni (Tomato yellow leaf curl virus - TYLCV)
- Begomovirus manihotis (African cassava mosaic virus - ACMV)
- Begomovirus solanumdelhiense (Tomato Leaf Curl New Delhi Virus - ToLCNDV)
- Cacao swollen shoot virus (CSSV)
- Carlavirus americanense (American hop latent virus - AHLV)
- Carlavirus humuli (Hop mosaic virus - HpMV)
- Carlavirus latenshumuli (Hop latent virus - HpLV)
- Carlavirus populi (Poplar mosaic virus - PopMV)
- Carlavirus trifolii (Red clover vein mosaic virus - RCVMV)
- Carlavirus vaccinii (Blueberry scorch virus - BlScV)



- Celavirus apii (Celery latent virus - CeLV)
- Cheravirus arracaciae (Arracacha virus B - AVB)
- Citrivirus citri (Citrus leaf blotch virus)
- Citrus impietratura agent
- Cocadviroid cadangi (Coconut cadang-cadang viroid - CCCVd)
- Coleviroid epsiloncolei (Coleus blumei viroid 5 - CbVd-5)
- Crinivirus contagichlorosis (Tomato infectious chlorosis virus - TICV)
- Crinivirus palidofragariae (Strawberry pallidosis-associated virus - SpaV)
- Crinivirus pseudobetae (Beet pseudoyellows virus - BPYV)
- Cucumovirus PSV (Peanut stunt virus - PSV)
- Cucumovirus TAV (Tomato aspermy virus - TAV)
- Curtovirus betae (Beet curly top virus - BCTV)
- Fabavirus alphaviciae (Broad bean wilt virus 1)
- Fabavirus betaviciae (Broad bean wilt virus 2)
- Fijivirus fijiense (Fiji disease virus - FDV)
- Hordeivirus hordei (Barley stripe mosaic virus - BSMV)
- Idaeovirus rubi (Raspberry bushy dwarf virus - RBDV)
- Ilarvirus AV2 (Asparagus virus 2 - AV2)
- Ilarvirus BSV (Blueberry shock virus - BlShV)
- Ilarvirus CLRV (Citrus leaf rugose virus - CiLRV)
- Ilarvirus CVV (Citrus variegation virus - CVV)
- Ilarvirus SLV (Spinach latent virus - SpLV)
- Ilarvirus SNSV (Strawberry necrotic shock virus - SNSV)
- Ipomovirus brunusmanihotis (Cassava brown streak virus - CBSV)
- Ipomovirus manihotis (Ugandan cassava brown streak virus - UCBSV)
- Macluravirus scolymus (Artichoke latent virus - ArLV, ranunculus latent virus)
- Nepovirus arabis (Arabis mosaic virus - ArMV)
- Nepovirus arracaciae (Arracacha virus A - AVA)
- Nepovirus cichorii (Chicory yellow mottle virus - ChYMV)
- Nepovirus cycas (Cycas necrotic stunt virus)
- Nepovirus cynarae (Artichoke yellow ringspot virus - AYRSV)
- Nepovirus italiaense (Artichoke Italian latent virus - AILV)
- Nepovirus lycopersici (Tomato ringspot virus - ToRSV)
- Nepovirus myrtilli (Blueberry leaf mottle virus - BLMoV)
- Nepovirus nicotianae (Tobacco ringspot virus - TRSV)
- Nepovirus nigranuli (Tomato black ring virus - TBRV)
- Nepovirus persicae (Peach rosette mosaic virus - PRMV)
- Nepovirus rubi (Raspberry ringspot virus - RpRSV)
- Ophiovirus freesiae (Freesia sneak virus - FreSV)
- Ophiovirus ranunculi (Ranunculus white mottle virus - RWMV)
- Ophiovirus vaccinii (Blueberry mosaic associated virus - BlMaV)



- Orthotospovirus alstroemerinecrosis (Alstroemeria necrotic streak virus - ANSV)
- Orthotospovirus capsiciflavi (Capsicum chlorosis virus - CaCV)
- Orthotospovirus impatiensnecromaculae (Impatiens necrotic spot virus - INSV)
- Orthotospovirus tomatanuli (Tomato yellow ring virus - TYRV)
- Pecluvirus indicum (Indian peanut clump virus - IPCV)
- Pomovirus solani (Potato mop-top virus - PMTV)
- Pospiviroid chloronani (Tomato chlorotic dwarf viroid - TCDVd)
- Pospiviroid fusituberis (Potato spindle tuber viroid - PSTVd)
- Pospiviroid parvicapsici (Pepper chat fruit viroid - PCFVd)
- Potato yellowing virus (PYV)
- Potexvirus ecslilii (Lily virus X - LVX)
- Potexvirus pepini (Pepino mosaic virus - PepMV)
- Potyvirus atuberosi (Potato virus A - PVA)
- Potyvirus freesiae (Freesia mosaic virus - FreMV)
- Potyvirus musae (Banana bract mosaic virus - BBrMV)
- Potyvirus plumpoxi (Plum pox virus - PPV)
- Potyvirus ranunculi (Ranunculus mosaic virus - RanMV)
- Potyvirus ranunculideformationis (Ranunculus leaf distortion virus - RanLDV)
- Potyvirus ranunculitenuis (Ranunculus mild mosaic virus - RanMMV)
- Potyvirus trifolii (Clover yellow vein virus - CLYVV)
- Potyvirus trompetae (Colombian datura virus - CDV)
- Potyvirus tulipadefractum (Tulip breaking virus - TBV)
- Robigovirus elaeis (African oil palm ringspot virus - AOPRV)
- Sobemovirus BSSV (Blueberry shoestring virus - BSSV)
- Soymovirus maculavaccinii (Blueberry red ringspot virus - BRRV)
- Stralarivirus fragariae (Strawberry latent ringspot virus - SLRSV)
- Tepovirus tafsolani (Potato virus T - PVT)
- Tobamovirus fructirugosum (Tomato brown rugose fruit virus - ToBRFV)
- Tobamovirus kyuri (Kyuri green mottle mosaic virus - KGMMV)
- Tobamovirus maculacapsici (Bell pepper mottle virus - BPeMV)
- Tobamovirus maculafructi (Cucumber fruit mottle mosaic virus - CFMMV)
- Tobamovirus plantagonis (Ribgrass mosaic virus - RMV)
- Tobamovirus viridimaculae (Cucumber green mottle mosaic virus - CGMMV)
- Tobravirus pisi (Pea early-browning virus - PEBV)
- Tobravirus tabaci (Tobacco rattle virus - TRV)
- Tombusvirus algeriaense (Grapevine Algerian latent virus - GALV)
- Tombusvirus cynarae (Artichoke mottled crinkle virus - AMCV)
- Tombusvirus lycopersici (Tomato bushy stunt virus - TBSV)
- Tombusvirus petuniae (Petunia asteroid mosaic virus - PeAMV)
- Tymovirus latandigenum (Andean potato latent virus - APLV)

XVII - PLANTAS INFESTANTES E PARASITAS

- Aldama dentata
- Allium vineale
- Alopecurus myosuroides
- Amaranthus albus
- Amaranthus blitoides
- Amaranthus tuberculatus
- Ambrosia trifida
- Antennaria dioica
- Apera spica-venti
- Arceuthobium spp.
- Arctotheca calendula
- Argemone ochroleuca
- Arivela viscosa (Cleome viscosa)
- Asphodelus fistulosus
- Asphodelus tenuifolius
- Bassia scoparia (Kochia scoparia)
- Bonnaya antipoda (Lindernia antipoda)
- Bonnaya ciliata (Lindernia ciliata)
- Bromus rigidus
- Bromus secalinus
- Bromus sterilis
- Bromus tectorum
- Carduus acanthoides
- Carduus pycnocephalus
- Centaurea diffusa
- Cerastium arvense
- Chondrilla juncea
- Cirsium arvense
- Coincya tournefortii (Brassica tournefortii)
- Crassocephalum crepidioides
- Crepis tectorum
- Cuscuta australis
- Cuscuta campestris
- Cuscuta epithymum
- Cuscuta europaea
- Cuscuta reflexa
- Descurainia pinnata
- Descurainia sophia
- Digera muricata
- Digitaria velutina
- Dinebra chinensis (Leptochloa chinensis)



- Dinebra retroflexa
- Elymus repens (Agropyron repens)
- Erysimum cheiranthoides
- Euphorbia esula
- Euphorbia helioscopia
- Fumaria bastardii
- Fumaria densiflora
- Galeopsis speciosa
- Galeopsis tetrahit
- Heliotropium europaeum
- Hibiscus trionum
- Hirschfeldia incana
- Hordeum murinum subsp. leporinum (Hordeum leporinum)
- Impatiens glandulifera
- Imperata cylindrica
- Lepidium draba (Cardaria draba)
- Lindernia procumbens
- Lolium rigidum
- Ludwigia adscendens
- Melochia corchorifolia
- Myagrum perfoliatum
- Orobanche spp.
- Pectis prostrata
- Persicaria barbata (Polygonum barbatum)
- Persicaria nepalensis (Polygonum nepalense)
- Persicaria pensylvanica
- Phalaris paradoxa
- Phelipanche spp.
- Pilosella officinarum (Hieracium pilosella)
- Pontederia vaginalis (Monochoria vaginalis)
- Rhaponticum repens (Acroptilon repens)
- Rumex hypogaeus (Emex australis)
- Salsola kali
- Salsola tragus
- Salvia tiliifolia
- Sicyos angulatus
- Sisymbrium loeselii
- Sisymbrium orientale
- Solanum angustifolium (Solanum rostratum)
- Solanum elaeagnifolium
- Sonchus arvensis



- Striga spp.
- Taeniatherum caput-medusae
- Thlaspi arvense
- Tithonia tubaeformis
- Tripleurospermum inodorum (Tripleurospermum perforatum)
- Urochloa glumaris (Brachiaria paspaloides)
- Viola arvensis

Republicada por ter saído, no DOU nº 166, de 2/9/2026, Seção 1, página 3, com incorreção no original.

Este conteúdo não substitui o publicado na versão certificada.

